
Inspection of Distribution Piping Systems: A Risk Based Approach



IDEA's 27th Campus Energy Conference

February 18-21, 2014

Atlanta







Why inspect?

PERSONNEL SAFETY!

RISK Risk from unknown hazards

Protection from negligence claims

Disruptions

Unbudgeted expenditures



Forced Maintenance




- End user disruptions
- Loss of efficiency
- Safety issues
- Unbudgeted Expenditures









PLANNING


NEW CONSTRUCTION



Why inspect?







"CORROSION NEVER SLEEPS"




Damage Mechanisms


- Corrosion
 - Eternal (protection system failure)
 - Internal (water chemistry issues)
 - Corrosion under insulation
 - MIC (Microbial induced)



- Flow induced
- Particulate
- Stresses
 - Low cycle thermal fatigue (start-ups/shut-downs)
 - Primary pressure (wall loss)









Traditional Piping Inspection Programs

- Exception based
 - No inspection program unless failure (forensic vs. proactive)
 - Reactionary mode
 - Opportunity driven
- Ease of access
 - Out of sight, out of mind (buried, vaulted, cased)
 - Insulation concerns
 - Safety
- Limited review
 - Point selection
 - Selection basis






Diverse Infrastructure




















RISK

BASED

PROGRAM



Risk Based Program

- Data Collection
- Definition of Corrosion Segments
- Risk Assessment
- Inspections
- Program Maintenance



Risk Based Program

Data Collection

- Piping drawings compilation and review of drawings
- Structural details
- Support and anchor details
- Piping Specifications
- Flow diagrams
- P&ID diagrams
- Failure history
- Past Inspection results
- Repair history
- Water treatment assembly of water chemistry and water chemistry history, and water treatment and treatment history
- Leakage history
- Cathodic protection history including coating inspections
- ID cleaning history
- System walkdowns
- Safety record (e.g. near miss incidents, etc.)



Risk Based Program <u>Corrosion Segment Definition</u>

• Define segments



Prioritization Examples

Structural Integrity Associates, Inc.

- □ High Risk Zones/Services
- High Risk Services
- □ Localized Issues (expansion joints, bolting, etc.)
- □ Component Issues

Risk Based Program

- Data Collection
- Definition of Corrosion Segments
- Risk Assessment
- Inspection plan
- Program Maintenance



Program

- Segment and Risk Priorities
- Walk downs
 - Leaks/Exceptions (local issues)
 - Hangers, Supports, Anchor inspections
 - Specification issues
 - As-built design
- Stress Analysis (if needed)
- Apply the Non Destructive Examination "Toolbox"
 - Surface Examinations
 - Volumetric Examinations
 - Metallurgical Examinations
 - Screening Technologies



INDIRECT Coatings Insulation Cathodic Corrosion Coupons Guided Wave DIRECT Ultrasonic Thickness EMAT Linear Phase Array Time of Flight Diffraction Dye Penetrant Magnetic Particle Radiography Eddy Current Replication

INSPECTION

PLAN

LABORATORY Material sampling Material Testing Composition Soil Water Deposits



Program Maintenance

Structural Integrity Associates, Inc.

- Maintain specifications
- Document
- Failure Analysis
 Program

Contact Information

Joe Maciejczyk, PE

Associate Structural Integrity Associates Cell: 804-502-2820 jmac@structint.com www.structint.com





